

Author Index

- Adolf, M.A., see Rubin, R.P. (1133) 127
- Aepfelbacher, M., see Weber, C. (1133) 38
- Anglard, P., Magal, E. and Louis, J.-C.
Stimulation of glycolysis by corticotropin and phorbol ester in cultured neurons (1133) 321
- Ashcroft, S.J.H., see Niki, I. (1133) 95
- Ashikari, S., see Habuchi, O. (1133) 9
- Badwey, J.A., see Ding, J. (1133) 235
- Barford, D.
Molecular mechanisms for the control of enzymic activity by protein phosphorylation (1133) 55
- Berry, M.N., see Gregory, R.B. (1133) 89
- Bertics, P.J., see Hubler, L. (1133) 307
- Biol, M.-C., Lenoir, D., Hugueny, I. and Louisot, P.
Hormonal regulation of glycosylation process in rat small intestine: responsiveness of fucosyl-transferase activity to hydrocortisone during the suckling period, unresponsiveness after weaning (1133) 206
- Blazer-Yost, B.L., Watanabe, M., Haverty, T.P. and Ziyadeh, F.N.
Role of insulin and IGF1 receptors in proliferation of cultured renal proximal tubule cells (1133) 329
- Borgeat, P., see Naccache, P.H. (1133) 102
- Braquet, P., see Her, E. (1133) 63
- Brock, J.H., see Djeha, A. (1133) 147
- Brock, J.H., see Iturralde, M. (1133) 241
- Brunotte, F., see Unitt, J.F. (1133) 115
- Cawston, T.E., see Wright, J.K. (1133) 25
- Chen, K.Y., see Chen, Z.-P. (1133) 1
- Chen, Z.-P. and Chen, K.Y.
Differentiation of a mouse neuroblastoma variant cell line whose ornithine decarboxylase gene has been amplified (1133) 1
- Chiabrando, C., Rivoltella, L., Martelli, L., Valzacchi, S. and Fanelli, R.
Urinary excretion of thromboxane and prostacyclin metabolites during chronic low-dose aspirin: evidence for an extrarenal origin of urinary thromboxane B₂ and 6-keto-prostaglandin F1 α in healthy subjects (1133) 247
- Clark, I.M., see Wright, J.K. (1133) 25
- Croft, K.D., see McCulloch, R.K. (1133) 142
- Dagher, G. and Sauterey, C.
Regulation of intracellular pH in rabbit cortical connecting tubule and cortical collecting duct (1133) 17
- Di Marzo, V., see Galadari, S.H.I. (1133) 218
- Ding, J. and Badwey, J.A.
Utility of immobilized-bound phosphoproteins as substrates for protein phosphatases from neutrophils (1133) 235
- Dive, C., Gregory, C.D., Phipps, D.J., Evans, D.L., Milner, A.E. and Wyllie, A.H.
Analysis and discrimination of necrosis and apoptosis (programmed cell death) by multiparameter flow cytometry (1133) 275
- Djeha, A. and Brock, J.H.
Uptake and intracellular handling of iron from transferrin and iron chelates by mitogen stimulated mouse lymphocytes (1133) 147
- Elmore, M., see Murphy, C.T. (1133) 46
- Emoto, S., see Kawai, H. (1133) 172
- Emoto, S., see Miyazaki, T. (1133) 179
- Evans, D.L., see Dive, C. (1133) 275
- Evans, P.J.
Selective inhibition of the synthesis of phosphoenolpyruvate carboxykinase in freshly isolated proximal tubule cells (1133) 255
- Fain, J.N., see Pittner, R.A. (1133) 316
- Fanelli, R., see Chiabrando, C. (1133) 247
- Ferenz, H.-J., see Roehrkasten, A. (1133) 160
- Fox, M., see Rendell, M. (1133) 293
- Fragonas, J.-C., see Hunt, N.H. (1133) 261
- Fruteau de Laclos, B., see Naccache, P.H. (1133) 102
- Fujita, M., see Natsukari, N. (1133) 193
- Funk, C.D., see Sheppard, K.-A. (1133) 223
- Galadari, S.H.I., Morris, H.R. and Di Marzo, V.
The effect of a cAMP analogue on Ca²⁺ ionophore-, antigen- and agonist-induced inositol phosphate release in rat basophilic leukaemia (RBL-1) cells (1133) 218
- Goncalves, E., see Lakshmanan, M. (1133) 213
- Greenberg, S.M., see Sheppard, K.-A. (1133) 223
- Gregory, C.D., see Dive, C. (1133) 275
- Gregory, R.B. and Berry, M.N.
The administration of triiodothyronine to rats results in a lowering of the mitochondrial membrane potential in isolated hepatocytes (1133) 89
- Habuchi, O., Tsuzuki, M., Takeuchi, I., Hara, M., Matsui, Y. and Ashikari, S.
Secretion of chondroitin 6-sulfotransferase and chondroitin 4-sulfotransferase from cultured chick embryo chondrocytes (1133) 9
- Hara, M., see Habuchi, O. (1133) 9
- Hara, T., see Itoh, K. (1133) 286
- Hardin, C.D., Wiseman, R.W. and Kushmerick, M.J.
Vascular oxidative metabolism under different metabolic conditions (1133) 133
- Haverty, T.P., see Blazer-Yost, B.L. (1133) 329
- Hazleman, B.L., see Wright, J.K. (1133) 25
- Her, E., Reiss, N., Braquet, P. and Zor, U.
Characterization of glucocorticoid inhibition of antigen-induced inositolphosphate formation by rat basophilic leukemia cells: possible involvement of phosphatases (1133) 63
- Higashio, K., see Suzuki, A. (1133) 167
- Horio, Y. and Murad, F.
Purification of guanylyl cyclase from rod outer segments (1133) 81
- Horton, A.A. and Wood, J.M.
Prevention of Ca²⁺-induced or thromboxane B₂-induced hepatocyte plasma membrane bleb formation by thromboxane receptor antagonists (1133) 31
- Hubler, L., Kher, U. and Bertics, P.J.
Potentiation of epidermal growth factor receptor protein-tyrosine kinase activity by sulfate (1133) 307
- Hugueny, I., see Biol, M.-C. (1133) 206
- Hundley, T.R., see Rubin, R.P. (1133) 127

- Hunt, N.H. and Fragonas, J.-C.
Effects of anti-oxidants on ornithine decarboxylase in mitogenically-activated T lymphocytes (1133) 261
- Ichikawa, A., see Kawai, H. (1133) 172
Ichikawa, A., see Miyazaki, T. (1133) 179
Imanishi, N., see Kawai, H. (1133) 172
Itoh, K., Hara, T. and Shibata, N.
Diphosphorylation of platelet myosin by myosin light chain kinase (1133) 286
Iturralde, M., Vass, J.K., Oria, R. and Brock, J.H.
Effect of iron and retinoic acid on the control of transferrin receptor and ferritin in the human promonocytic cell line U937 (1133) 241
- Kahler, K., see Rendell, M. (1133) 293
Kawai, H., Ohgoh, M., Emoto, S., Ohmori, E., Imanishi, N., Yatsunami, K. and Ichikawa, A.
Synergistic effects of 12-*O*-tetradecanoylphorbol-13-acetate and dexamethasone on de novo synthesis of histidine decarboxylase in mouse mastocytoma P-815 cells (1133) 172
Kellie, S., see Murphy, C.T. (1133) 46
Kelly, S., see Rendell, M. (1133) 293
Kher, U., see Hubler, L. (1133) 307
Klein, J.M. and Nielsen, H.C.
Sex-specific differences in rabbit fetal lung maturation in response to epidermal growth factor (1133) 121
Knox, S., see Rendell, M. (1133) 293
Kostanyan, A. and Nazaryan, K.
Rat brain glycolysis regulation by estradiol-17 β (1133) 301
Kumasaka, T., see Suzuki, A. (1133) 167
Kushmerick, M.J., see Hardin, C.D. (1133) 133
- Lakshmanan, M., Goncalves, E., Pontecorvi, A. and Robbins, J.
Differential effect of a new thyromimetic on triiodothyronine transport into myoblasts and hepatoma and neuroblastoma cells (1133) 213
Law, R.O.
Efflux and accumulation of amino nitrogen in relation to the volume of rat renal inner medullary cells exposed to media of variable osmolality (1133) 268
Leblanc, Y., see Naccache, P.H. (1133) 102
Lee, J., see Mick, G.J. (1133) 73
Lenoir, D., see Biol, M.-C. (1133) 206
Louis, J.-C., see Anglard, P. (1133) 321
Louisot, P., see Biol, M.-C. (1133) 206
Luu, T., see Rendell, M. (1133) 293
Lux, I., see Weber, C. (1133) 38
- Magal, E., see Anglard, P. (1133) 321
Martelli, L., see Chiabrando, C. (1133) 247
Matsui, Y., see Habuchi, O. (1133) 9
McCormick, K.L., see Mick, G.J. (1133) 73
McCulloch, R.K., Croft, K.D. and Vandongen, R.
Enhancement of platelet 12-HETE production in the presence of polymorphonuclear leukocytes during calcium ionophore stimulation (1133) 142
Mick, G.J., Lee, J. and McCormick, K.L.
Selective stimulation of in situ intermediary metabolism by free calcium in permeabilized rat adipocytes (1133) 73
Milner, A.E., see Dive, C. (1133) 275
Mimouni, V., Narce, M. and Poisson, J.-P.
Evidence for insulin dependent hepatic microsomal γ -linolenic acid chain elongation in spontaneously diabetic Wistar BB rats (1133) 187
Mitsuda, S., see Suzuki, A. (1133) 167
Miyazaki, T., Ohgoh, M., Ohmori, E., Yamamoto, J., Emoto, S., Yatsunami, K. and Ichikawa, A.
Synergistic effects of cyclic AMP and Ca²⁺ ionophore A23187 on de novo synthesis of histidine decarboxylase in mastocytoma P-815 cells (1133) 179
Morris, H.R., see Galadari, S.H.I. (1133) 218
Murad, F., see Horio, Y. (1133) 81
Murphy, C.T., Elmore, M., Kellie, S. and Westwick, J.
Comparison of the role of protein kinase C in platelet functional responses induced by three different mechanisms, PAF, ionomycin and arachidonic acid (1133) 46
- Naccache, P.H., Leblanc, Y., Rokach, J., Patrignani, P., Fruteau de Laclos, B. and Borgeat, P.
Calcium mobilization and right-angle light scatter responses to 12-oxo-derivatives of arachidonic acid in neutrophils: evidence for the involvement of the leukotriene B₄ receptor (1133) 102
Narce, M., see Mimouni, V. (1133) 187
Natsukari, N., Uezato, T., Ohta, H. and Fujita, M.
Characterization of EGTA-washed synaptosomal membrane with emphasis on its calmodulin-binding proteins. Demonstration of possible reconstitution with added calcium/calmodulin (1133) 193
Nazaryan, K., see Kostanyan, A. (1133) 301
Nielsen, H.C., see Klein, J.M. (1133) 121
Niki, I. and Ashcroft, S.J.H.
Possible involvement of protein phosphorylation in the regulation of the sulphonylurea receptor of a pancreatic β -cell line, HIT T15 (1133) 95
- Ohgoh, M., see Kawai, H. (1133) 172
Ohgoh, M., see Miyazaki, T. (1133) 179
Ohkura, K. and Terada, H.
Coculture of newborn rat skin epidermal cells with Swiss 3T3 cells: effect of the phases of 3T3 cells on attachment, growth and keratin synthesis of epidermal cells (1133) 153
Ohmori, E., see Kawai, H. (1133) 172
Ohmori, E., see Miyazaki, T. (1133) 179
Ohta, H., see Natsukari, N. (1133) 193
Oria, R., see Iturralde, M. (1133) 241
- Patrignani, P., see Naccache, P.H. (1133) 102
Phipps, D.J., see Dive, C. (1133) 275
Pittner, R.A. and Fain, J.N.
Ethanol is a potent stimulator of phosphatidylcholine breakdown in cultured rat hepatocytes (1133) 316
Poisson, J.-P., see Mimouni, V. (1133) 187
Pontecorvi, A., see Lakshmanan, M. (1133) 213
- Quinlan, E., see Rendell, M. (1133) 293
- Radda, G.K., see Unitt, J.F. (1133) 115
Reiss, N., see Her, E. (1133) 63
Rendell, M., Luu, T., Quinlan, E., Knox, S., Fox, M., Kelly, S. and Kahler, K.
Red cell filterability determined using the cell transit time analyzer (CTTA): effects of ATP depletion and changes in calcium concentration (1133) 293
Rivoltella, L., see Chiabrando, C. (1133) 247
Robbins, J., see Lakshmanan, M. (1133) 213
Roehrkasten, A. and Ferenz, H.-J.
Role of the lysine and arginine residues of vitellogenin in high affinity binding to vitellogenin receptors in locust oocyte membranes (1133) 160
Rokach, J., see Naccache, P.H. (1133) 102
Romano, M., see Sheppard, K.-A. (1133) 223

- Rubin, R.P., Hundley, T.R. and Adolf, M.A.
Regulation of diacylglycerol levels in carbachol-stimulated pancreatic acinar cells: relationship to the breakdown of phosphatidylcholine and metabolism to phosphatidic acid (1133) 127
- Sauterey, C., see Dagher, G. (1133) 17
- Schrader, J., see Unitt, J.F. (1133) 115
- Serhan, C.N., see Sheppard, K.-A. (1133) 223
- Seymour, A.-M.L., see Unitt, J.F. (1133) 115
- Sheppard, K.-A., Greenberg, S.M., Funk, C.D., Romano, M. and Serhan, C.N.
Lipoxin generation by human megakaryocyte-induced 12-lipoxygenase (1133) 223
- Shibata, N., see Itoh, K. (1133) 286
- Suzuki, A., Mitsuda, S., Higashio, K. and Kumasaka, T.
Possible roles of arachidonic acid and its metabolites in induction of tissue plasminogen activator (t-PA) production in human fibroblast, IMR-90 cells by proteose peptone (1133) 167
- Takeuchi, I., see Habuchi, O. (1133) 9
- Terada, H., see Ohkura, K. (1133) 153
- Tsuzuki, M., see Habuchi, O. (1133) 9
- Uezato, T., see Natsukari, N. (1133) 193
- Unitt, J.F., Schrader, J., Brunotte, F., Radda, G.K. and Seymour, A.-M.L.
Determination of free creatine and phosphocreatine concentrations in the isolated perfused rat heart by ^1H - and ^{31}P -NMR (1133) 115
- Valzacchi, S., see Chiabrando, C. (1133) 247
- Vandongen, R., see McCulloch, R.K. (1133) 142
- Vass, J.K., see Iturralde, M. (1133) 241
- Watanabe, M., see Blazer-Yost, B.L. (1133) 329
- Weber, C., Aepfelbacher, M., Lux, I., Zimmer, B. and Weber, P.C.
Docosahexaenoic acid inhibits PAF and LTD_4 stimulated $[\text{Ca}^{2+}]_i$ -increase in differentiated monocytic U937 cells (1133) 38
- Weber, P.C., see Weber, C. (1133) 38
- Westwick, J., see Murphy, C.T. (1133) 46
- Wiseman, R.W., see Hardin, C.D. (1133) 133
- Wood, J.M., see Horton, A.A. (1133) 31
- Wright, J.K., Clark, I.M., Cawston, T.E. and Hazleman, B.L.
The secretion of the tissue inhibitor of metalloproteinases (TIMP) by human synovial fibroblasts is modulated by all-*trans*-retinoic acid (1133) 25
- Wyllie, A.H., see Dive, C. (1133) 275
- Yamamoto, J., see Miyazaki, T. (1133) 179
- Yatsunami, K., see Kawai, H. (1133) 172
- Yatsunami, K., see Miyazaki, T. (1133) 179
- Zimmer, B., see Weber, C. (1133) 38
- Ziyadeh, F.N., see Blazer-Yost, B.L. (1133) 329
- Zor, U., see Her, E. (1133) 63